

PRESSURE CONNECTIONS CORP.

Your Quality Connection

steel tube fittings & adaptors chart





Our trained Quality Assurance Personnel follow a rigid inspection program to ensure that our fittings meet or surpass the strictest requirements of SAE.

Quality Assurance Lab



Engineering

We design our products to the strictest requirements of SAE, and improve our designs as we solve problems or reflect the latest changes in SAE design. We can also design custom fittings to fit your needs.



Optical Comparator



Pressure Test Stand



Precision Instruments



Our Glastonbury Southern Gage trained personnel use only certified instrumentation and equipment in the quality process giving you leak free performance.

All equipment is calibrated at regularly scheduled intervals. Records and instrument serial numbers are kept on file to guarantee the accuracy of every inspection.



ISO 9001:2000
Audit

"The Corrective Preventive Action program you've setup at Pressure Connections is top notch. It is one of the best I've seen."

ISO Auditor
W.J. Davis
Quality Assurance Systems Inc.

Coordinate Measuring Machine (CMM)



Only a CMM can verify that an OFS groove is manufactured to exact SAE J1453 specifications. We use a state-of-the-art CMM to measure the latest OFS "dovetail" and standard OFS groove designs.

"How can an OFS fitting leak?"



The Answer: grooves that are too small or too large don't apply the correct pressure on the O-ring to seal properly.



GagePort Series

FEATURES

- Install a High Pressure Port Anywhere
- Available Ports: ORB and Pipe
- Up to 6,000 PSI (4:1 Safety)
- 2-Way Gauge Adjustment
- Test Point Connector Convenience
- Diagnostic Nipples are a Cost Effective Way to Use One Gauge in Multiple Locations



Our *GagePort* Series is a safe alternative compared to modifying or tapping common adaptors, which typically lack proper thread engagement, rendering them unsafe. Our GagePort Series offers full thread depth, high pressure **Pipe and O-Ring Boss** ports that *safely* handle the pressures of todays systems.




GP-6405

- Works With All GagePort Adaptors
- Creates a 360° Rotation
- Extends Gauge Life
- Converts Male Pipe to O-Ring Boss



Reference Key



EXAMPLE PART NUMBER:

FS-6801LL-08-08-4-VBRN

Call Out Codes

BH MJ	Bulkhead JIC	FOFX	Female OFS Swivel
BH OFS	Bulkhead OFS	FPX	Female Pipe Swivel (NPSM)
FB	Female O-Ring Boss	FP	Female Pipe
FFX	Female Flareless Swivel	HS	Hose Barb or End
FH61	Code 61 Flange Head	MB	Male O-Ring Boss
FH62	Code 62 Flange Head	MJ	Male JIC Flare
FJ	Female JIC Flare	MP	Male Pipe
FJX	Female JIC Swivel	MPX	Male Pipe Swivel
FL	Flareless	OFS	O-Ring Face Seal

Prefix Options		Series Options		Part Options	
9-	Aluminum	BT	Bent Tube	-4	Forged Body
35-	Assembled JIC	L	Long (Single Long)	-V	Viton®
45-	Assembled Convert-A-Flare	LL	Double Long (Extra Long)	-VBRN	Brown Viton®
C-	Flareless	LLL	Triple Long (Double Extra Long)	-X	Dual Chamfer
FS-	O-Ring Face Seal	LN	Bulkhead Locknut		
GP-	GagePort	R	Restrictor		
SS-	Stainless Steel				® - Registered Trademark of DuPont

Size Chart

	-02 (1/8")	-03 (3/16")	-04 (1/4")	-05 (5/16")	-06 (3/8")	-08 (1/2")	-10 (5/8")	-12 (3/4")	-14 (7/8")	-16 (1")	-20 (1 1/4")	-24 (1 1/2")	-32 (2")
CODE 61 (DIA.)	—	—	—	—	—	1 3/16"	—	1 1/2"	—	1 3/4"	2"	2 3/8"	2 13/16"
CODE 62 (DIA.)	—	—	—	—	—	—	—	1 5/8"	—	1 7/8"	2 1/8"	2 1/2"	3 1/8"
FLARELESS	5/16" - 24	5/16" - 24	7/16" - 20	1/2" - 20	9/16" - 18	3/4" - 16	7/8" - 14	1 1/16" - 12	1 3/16" - 12	1 5/16" - 12	1 5/8" - 12	1 7/8" - 12	2 1/2" - 12
JIC	5/16" - 24	5/16" - 24	7/16" - 20	1/2" - 20	9/16" - 18	3/4" - 16	7/8" - 14	1 1/16" - 12	1 3/16" - 12	1 5/16" - 12	1 5/8" - 12	1 7/8" - 12	2 1/2" - 12
NPSM	1/8" - 27	—	1/4" - 18	—	3/8" - 16	1/2" - 14	—	3/4" - 14	—	1" - 11 1/2	1 1/4" - 11 1/2	1 1/2" - 11 1/2	2" - 11 1/2
OFS	—	—	—	—	11/16" - 16	13/16" - 16	1" - 14	1 3/16" - 12	—	1 7/16" - 12	1 11/16" - 12	2" - 12	—
ORB	5/16" - 24	5/16" - 24	7/16" - 20	1/2" - 20	9/16" - 18	3/4" - 16	7/8" - 14	1 1/16" - 12	1 3/16" - 12	1 5/16" - 12	1 5/8" - 12	1 7/8" - 12	2 1/2" - 12
PIPE	1/8" - 27	—	1/4" - 18	—	3/8" - 16	1/2" - 14	—	3/4" - 14	—	1" - 11 1/2	1 1/4" - 11 1/2	1 1/2" - 11 1/2	2" - 11 1/2



















Nuts, Sleeves and Steel Tubing

<p>302 Short Flare Nut (No sleeve required)</p>	<p>304 (070111) Long Flare Nut (No sleeve required)</p>	<p>304C (070112) Tube Cap 1-FJ</p>	<p>306 (070118) Bulkhead Locknut (Use with #2700)</p>	<p>318 (070110) Tube Nut (Use with #319)</p>	<p>319 (070115) Tube Sleeve (Use with #318)</p>	<p>418 Convert-A-Flare Nut (Use with #419)</p>	<p>419 Convert-A-Flare Sleeve (Use with #418)</p>
<p>Steel Tubing</p>		<p>Convert-A-Flare nut & ferrule design (418/419) allows you to convert any male 37° JIC fitting into a flareless tube fitting. Assembly is simplified as no special tools or flaring tools are needed.</p>					


Female Pipe Swivels

<p>1404 (140130) MP x NPSM Adaptor 1-MP 2-FPX</p>	<p>1404R Restrictor MP x NPSM Adaptor 1-MP 2-FPX</p>	<p>1405 (140131) FP x NPSM Adaptor 1-FP 2-FPX</p>	<p>1501 (140230) MP x NPSM Elbow 1-MP 2-FPX</p>	<p>1501L MP x NPSM Elbow Long 1-MP 2-FPX</p>	<p>1501R restrictor MP x NPSM Elbow 1-MP 2-FPX</p>	<p>1502 (140231) FP x NPSM Elbow 1-FP 2-FPX</p>	<p>1503 (140330) MP x NPSM Elbow 1-MP 2-FPX</p>
<p>1504 (140331) FP x NPSM Elbow 1-FP 2-FPX</p>	<p>1601 MP x NPSM Branch Tee 1-MP 2-FPX 3-FPX</p>	<p>1602 FP x NPSM Branch Tee 1-FP 2-FPX 3-FPX</p>	<p>1603 NPSM Pipe Tee 1-FPX 2-FPX 3-FPX</p>	<p>6900 (140157) MB x NPSM Adaptor 1-MB 2-FPX</p>	<p>6901 (140257) MB x NPSM Elbow 1-MB 2-FPX</p>	<p>6902 (140357) MB x NPSM Elbow 1-MB 2-FPX</p>	<p>Our Cold Headed Nuts Have Never Cracked</p>









Flange Adaptors

 <p>1700 Code 61 JIC Split Flange Adapter 1-MJ 2-FH61</p>	 <p>1703 Code 61 JIC Split Flange Elbow 1-MJ 2-FH61</p>	 <p>1704 Code 61 JIC Split Flange Elbow 1-MJ 2-FH61</p>	<p>The split flange halves never actually touch the the port surface. A clearance of 0.010" to 0.030" should always be measured after the torque values are reached. Only the flange head makes a metal-to-metal contact. Code 61 and Code 62 have different bolt patterns and are not interchangeable.</p>	 <p>1800 Code 62 JIC Split Flange Adapter 1-MJ 2-FH62</p>	 <p>1803 Code 62 JIC Split Flange Elbow 1-MJ 2-FH62</p>	 <p>1804 Code 62 JIC Split Flange Elbow 1-MJ 2-FH62</p>
 <p>FS-1700 Code 61 OFS Split Flange Adapter 1-OFS 2-FH61</p>	 <p>FS-1703 Code 61 OFS Split Flange Elbow 1-OFS 2-FH61</p>	 <p>FS-1704 Code 61 OFS Split Flange Elbow 1-OFS 2-FH61</p>		 <p>FS-1800 Code 62 OFS Split Flange Adapter 1-OFS 2-FH62</p>	 <p>FS-1803 Code 62 OFS Split Flange Elbow 1-OFS 2-FH62</p>	 <p>FS-1804 Code 62 OFS Split Flange Elbow 1-OFS 2-FH62</p>
 <p>610 Buna-N Flange O-Ring Code 61 & 62</p>	 <p>61SF Split Flange Half Code 61</p>	 <p>61SF-KIT Split Flange Kit Code 61</p>		 <p>610 Buna-N Flange O-Ring Code 61 & 62</p>	 <p>62SF Split Flange Half Code 62</p>	 <p>62SF-KIT Split Flange Kit Code 62</p>

37° JIC Fittings

 <p>2403 (070101) SS-2403 • Stainless Tube Union 1-MJ 2-MJ</p>	 <p>2403LH (070119) SS-2403LH • Stainless Large Hex Union 1-MJ 2-MJ</p>	 <p>2404 (070102) SS-2404 • Stainless Male Connector 1-MJ 2-MP</p>	 <p>2404L Male Connector Long 1-MJ 2-MP</p>	 <p>2404LL Male Conn. Double Long 1-MJ 2-MP</p>	 <p>2405 (070103) SS-2405 • Stainless Female Connector 1-MJ 2-FP</p>	 <p>2406 (070123) SS-2406 • Stainless JIC Tube Reducer 1-FJ 2-MJ</p>	 <p>2406R Restrictor JIC Tube Reducer 1-FJ 2-MJ</p>
 <p>2407 SS-2407 • Stainless Insert Tube Reducer 1-FJ 2-MJ</p>	 <p>2408 (070109) SS-2408 • Stainless Tube Plug 1-MJ</p>	 <p>2500 (070201) SS-2500 • Stainless Union Elbow 1-MJ 2-MJ</p>	 <p>2501 (070202) SS-2501 • Stainless Male Elbow 1-MJ 2-MP</p>	 <p>2501L (071502) Male Elbow Long 1-MJ 2-MP</p>	 <p>2501LL (071602) Male Elbow Double Long 1-MJ 2-MP</p>	 <p>2502 (070203) SS-2502 • Stainless Female Elbow 1-MJ 2-FP</p>	 <p>2503 (070302) SS-2503 • Stainless Male Elbow 1-MJ 2-MP</p>
 <p>2504 SS-2503 • Stainless Union Elbow 1-MJ 2-MJ</p>	 <p>2505 Female Elbow 1-MJ 2-FP</p>	 <p>2601 (070425) SS-2601 • Stainless Male Branch Tee 1-MJ 2-MJ 3-MP</p>	 <p>2602 (070427) SS-2602 • Stainless Female Branch Tee 1-MJ 2-MJ 3-FP</p>	 <p>2603 (070401) SS-2603 • Stainless Union Tee 1-MJ 2-MJ 3-MJ</p>	 <p>2605 (070424) SS-2605 • Stainless Male Run Tee 1-MJ 2-MP 3-MJ</p>	 <p>2606 (070426) SS-2606 • Stainless Female Run Tee 1-MJ 2-FP 3-MJ</p>	 <p>2650 (070501) Union Cross 1, 2, 3, 4-MJ</p>

Bulkhead Fittings






























 <p>2700LN (070601) SS-2700LN • Stainless Bulkhead Union & Locknut 1-MJ 2-BH MJ</p>	 <p>2701LN (070701) SS-2701LN • Stainless Bulkhead Union Elbow & Locknut 1-MJ 2-BH MJ</p>	 <p>2702LN (070801) SS-2702LN • Stainless Bulkhead Union Elbow & Locknut 1-MJ 2-BH MJ</p>	 <p>2703LN (070959) SS-2703LN • Stainless Bulkhead Branch Tee & Locknut 1-MJ 2-MJ 3-BH MJ</p>	 <p>2704LN (070958) SS-2704LN • Stainless Bulkhead Run Tee & Locknut 1-MJ 2-BH MJ 3-MJ</p>	 <p>2705LN SS-2705LN • Stainless Female Bulkhead Connector & Locknut 1-FP 2-BH MJ</p>	 <p>2706LN SS-2706LN • Stainless Male Bulkhead Connector & Locknut 1-MP 2-BH MJ</p>	 <p>306 (070118) SS-306 • Stainless Bulkhead Locknut (Use with #2700)</p>
--	---	---	---	--	--	---	---

Your Quality Connection

































610 Claycraft Road, Columbus, OH 43230
(P) 614.863.6930 • (F) 614.864.1327
(W) PressureConnections.com



Pipe Fittings














5000 (140138)  Pipe Coupling 1-FP 2-FP SS-5000 • Stainless	5404 (140137)  Hex Pipe Nipple 1-MP 2-MP SS-5404 • Stainless	5404-X (140137)  Dual Chamfer Hex Pipe Nipple 1-MP 2-MP SS-5404X • Stainless	5404N  Seamless Pipe Nipple 1-MP (Both) 2-LENGTH SS-5404N • Stainless	5405 (140139)  Increase & Extension Connector 1-MP 2-FP SS-5405 • Stainless	5406 (140140)  Reducer Bushing 1-MP 2-FP SS-5406 • Stainless	5406C  Female Pipe Cap 1-FP SS-5406P • Stainless	5406P (130109E)  Hex Head Pipe Plug 1-MP SS-5406P • Stainless
5407 (130109A)  Square Head Pipe Plug 1-MP SS-5407 • Stainless	5408 (130109G)  Square Socket Pipe Plug 1-MP SS-5408 • Stainless	5409 (130109N)  Hex Socket Pipe Plug 1-MP SS-5409 • Stainless	9-5409  Aluminum Hex Socket Pipe Plug 1-MP SS-5409 • Stainless	5410  Flush Seal Pipe Plug 1-MP 7/8" Taper SS-5410 • Stainless	5500  Male Pipe Elbow 1-MP 2-MP SS-5500 • Stainless	5501  Male Pipe Elbow 1-MP 2-MP SS-5501 • Stainless	5502 (140239)  Street Elbow 1-MP 2-FP SS-5502 • Stainless
5502C  Compact Street "Dot" EII 1-MP 2-FP SS-5502C • Stainless	5503 (140339)  Street Elbow 1-MP 2-FP SS-5503 • Stainless	5504 (140238)  Female Pipe Elbow 1-FP 2-FP SS-5504 • Stainless	5505 (140338)  Female Pipe Elbow 1-FP 2-FP SS-5505 • Stainless	5600  Male Pipe Tee 1-MP 2-MP 3-MP SS-5600 • Stainless	5601  Female Pipe Branch Tee 1-MP 2-MP 3-FP SS-5601 • Stainless	5602 (140424)  Street Tee 1-MP 2-FP 3-FP SS-5602 • Stainless	5603  Female Pipe Run Tee 1-MP 2-FP 3-MP SS-5603 • Stainless
5604 (140425)  Male Pipe Branch Tee 1-FP 2-FP 3-MP SS-5604 • Stainless	5605 (140438)  Female Pipe Tee 1-FP 2-FP 3-FP SS-5605 • Stainless	5652  Female Pipe Cross 1, 2, 3, 4-FP SS-5652 • Stainless	5700  MP x Male Pipe Swivel 1-MP 2-MPX SS-5700 • Stainless	5702  FP x Male Pipe Swivel 1-FP 2-MPX SS-5702 • Stainless	SAME DAY SHIPPING on all orders received by 4:30 P.M.		

O-Ring Boss Fittings









































6400 (070120)  Straight Thread Connector 1-MJ 2-MB SS-6400 • Stainless	6400L (071720)  Straight Thread Connector Long 1-MJ 2-MB SS-6400L • Stainless	6400R  Straight Thread Connector 1-MJ 2-MB SS-6400R • Stainless	6401  Male ORB x Male Pipe 1-MB 2-MP SS-6401 • Stainless	6402 (140230)  Swivel Nut Adapter 1-MB 2-FJX SS-6402 • Stainless	6404  Female ORB x Male Pipe 1-FB 2-MP SS-6404 • Stainless	6405  Male ORB x Female Pipe 1-MB 2-FP SS-6405 • Stainless	6407  Adjustable Male ORB Union 1-MB 2-MB SS-6407 • Stainless				
6408 (090109A)  Hex Head ORB Plug 1-MB (Buna-N) SS-6408 • Stainless	6409 (090109B)  Hex Socket ORB Plug 1-MB (Buna-N) SS-6409 • Stainless	6410  ORB Reducer-Expander 1-MB 2-FB SS-6410 • Stainless	6420  Female ORB x Female Pipe 1-FB 2-FP SS-6420 • Stainless	6425  Female ORB Union 1-FB 2-FB SS-6425 • Stainless	6801 (070220)  Straight Thread Elbow 1-MJ 2-MB SS-6801 • Stainless	6801L (071520)  Elbow Long 1-MJ 2-MB SS-6801L • Stainless	6801LL (071620)  Elbow Double Long 1-MJ 2-MB SS-6801LL • Stainless				
6801R  Str Thd Elbow Restrictor 1-MJ 2-MB SS-6801R • Stainless	6802 (070320)  Straight Thread Elbow 1-MJ 2-MB SS-6802 • Stainless	6803 (070429)  ORB Branch Tee 1-MJ 2-MJ 3-MB SS-6803 • Stainless	6804 (070428)  ORB Run Tee 1-MJ 2-MB 3-MJ SS-6804 • Stainless	6805  ORB Female Elbow 1-MB 2-FP SS-6805 • Stainless	6805LL  Elbow Double Long 1-MB 2-FP SS-6805LL • Stainless	6806  ORB Male Elbow 1-MB 2-MP SS-6806 • Stainless	6807  ORB Union Elbow 1-MB 2-MB SS-6807 • Stainless				
6809  Swivel Nut Elbow 1-MB 2-FJX SS-6809 • Stainless	6815  Straight Thread Elbow 1-MB 2-FB SS-6815 • Stainless	6900 (140157)  MB x NPSM Adapter 1-MB 2-FPX SS-6900 • Stainless	6901 (140257)  MB x NPSM Elbow 1-MB 2-FPX SS-6901 • Stainless	6902 (140357)  MB x NPSM Elbow 1-MB 2-FPX SS-6902 • Stainless	HOSE 			STEEL 		BRASS 	

Product Lines

Female JIC Swivels











SS-6500 • Stainless  6500 (070221) Swivel Nut Elbow 1-MJ 2-FJX	 6500BT Bent Tube Elbow 1-MJ 2-FJX	 6500BTL Bent Tube Elbow Long 1-MJ 2-FJX	SS-6501 • Stainless  6501 Swivel Nut Adapter 1-MJ 2-FJX	SS-6502 • Stainless  6502 (070321) Swivel Nut Elbow 1-MJ 2-FJX	 6502BT Bent Tube Elbow 1-MJ 2-FJX	 6503 Swivel Nut Elbow 1-FF 2-FJX	 6504 Swivel Nut Connector 1-MJ 2-FJX
SS-6505 • Stainless  6505 Swivel Nut Adapter 1-MJ 2-FJX	SS-6506 • Stainless  6506 Swivel Nut Adapter 1-FF 2-FJX	SS-6565 • Stainless  6565 Female JIC Swivel Union 1-FJX 2-FJX	SS-6600 • Stainless  6600 (070433) Swivel Nut Branch Tee 1-MJ 2-MJ 3-FJX	SS-6602 • Stainless  6602 (070432) Swivel Nut Run Tee 1-MJ 2-FJX 3-MJ	Our Cold Headed Nuts Have Never Cracked		

O-Ring Face Seal Fittings








 FS-304C (520112) OFS Cap 1-FOFX	 FS-306 (520118) OFS Bulkhead Locknut (Use with #FS-2700)	 FS-318 (520110) OFS Nut (Use with #FS-319)	 FS-319 (520115) OFS Braze Sleeve (Use with #FS-318)	 FS-2403 OFS Tube Union 1-OFS 2-OFS	 FS-2404 OFS Male Pipe Connector 1-OFS 2-MP	 FS-2406 (520123) "OFS Nut Style" OFS Tube Reducer 1-FOFX 2-OFS	 "Crimp Style" OFS Tube Reducer 1-FOFX 2-OFS
 FS-2408 (520109) OFS Plug 1-OFS	 FS-2500 (520201) OFS Union Elbow 1-OFS 2-OFS	 FS-2501 OFS Male Elbow 1-OFS 2-MP	 FS-2503 OFS Male Elbow 1-OFS 2-MP	 FS-2601 OFS Male Run Tee 1-OFS 2-OFS 3-MP	 FS-2603 (520401) OFS Union Tee 1-OFS 2-OFS 3-OFS	 FS-2650 (520501) OFS Union Cross 1, 2, 3, 4-OFS	 FS-2700 (520601) OFS Bulkhead Union 1-OFS 2-BH OFS
 FS-2700LN (520601) OFS Bulkhead Union & Locknut 1-OFS 2-BH OFS	 FS-2701 (520701) OFS Bulkhead Union Elbow 1-OFS 2-BH OFS	 FS-2701LN (520701) OFS Bulkhead Union Elbow & Locknut 1-OFS 2-BH OFS	 FS-2702 (520801) OFS Bulkhead Union Elbow 1-OFS 2-BH OFS	 FS-2702LN (520801) OFS Bulkhead Union Elbow & Locknut 1-OFS 2-BH OFS	 FS-2703 (520959) OFS Bulkhead Branch Tee 1-OFS 2-OFS 3-BH OFS	 FS-2703LN (520959) OFS Bulkhead Branch Tee & Locknut 1-OFS 2-OFS 3-BH OFS	 FS-2704 (520958) OFS Bulkhead Run Tee 1-OFS 2-BH OFS 3-OFS
 FS-2704LN (520958) OFS Bulkhead Run Tee & Locknut 1-OFS 2-BH OFS 3-OFS	 FS-6400 (520120) OFS Straight Thread Connector 1-OFS 2-MB	 FS-6400L (520122) OFS Straight Thread Connector Long 1-OFS 2-MB	 FS-6402 Male OFS x Female JIC Swivel 1-OFS 2-FJX	 FS-6412 (520181) Female OFS Swivel x Male ORB 1-FOFX 2-MB	 FS-6500 (520221) OFS Swivel Nut Elbow 1-OFS 2-FOFX	 FS-6502 OFS Swivel Nut Elbow 1-OFS 2-FOFX	 FS-6600 (520433) OFS Swivel Nut Branch Tee 1-OFS 2-OFS 3-FOFX
 FS-6602 (520432) OFS Swivel Nut Run Tee 1-OFS 2-FOFX 3-OFS	 FS-6801 (520220) OFS Straight Thread Elbow 1-OFS 2-MB	 FS-6802 (520320) OFS Straight Thread Elbow 1-OFS 2-MB	 FS-6803 (520429) OFS Straight Thread Branch Tee 1-OFS 2-OFS 3-MB	 FS-6804 (520428) OFS Straight Thread Run Tee 1-OFS 2-MB 3-OFS	 FS-6809 (520281) OFS Swivel Nut Elbow 1-FOFX 2-MB	 FS-7403 Male OFS x Male JIC 1-OFS 2-MJ	 FS-7504 Female OFS Swivel x Male JIC 1-FOFX 2-MJ

PLINGS 	STAINLESS 	Live SWIVELS 	PUSH-TO-CONNECT 	Metric & BSP 	PNEUMATICS 
---	---	--	--	--	--









Flareless Fittings

C-318 (080110)  Flareless Nut	C-319 (080115)  Flareless Sleeve	C-2403 (080101)  Flareless Union 1-FL 2-FL	C-2404 (080102)  Flareless Male Connector 1-FL 2-MP	C-2501 (080202)  Flareless Male Elbow 1-FL 2-MP	C-2603 (080401)  Flareless Union Tee 1-FL 2-FL 3-FL	C-2605 (080424)  Flareless Run Tee 1-FL 2-MP 3-FL	C-6400 (080120)  Flareless Straight Thread Connector 1-FL 2-MB
C-6600 (080433)  Flareless Swivel Nut Branch Tee 1-FL 2-FL 3-FFX	C-6801 (080220)  Flareless Straight Thread Elbow 1-FL 2-MB	Flareless Fittings come assembled with the required Nuts and Sleeves, and are interchangeable with Parker <i>Ferulok</i> and Weatherhead <i>Ermeto</i> Styles.					

Beaded Hose Barbs

4404 (430160)  Beaded Hose Barb x MP 1-HS 2-MP	4501 (430260)  Beaded Hose Barb x MP 1-HS 2-MP	4601 (430292)  Beaded Hose Barb x MB 1-HS 2-MB	4603 (430392)  Beaded Hose Barb x MB 1-HS 2-MB	4604 (430192)  Beaded Hose Barb x MB 1-HS 2-MB	4800CF  100R4 Crimp Ferrule	Worm Clamp  Worm Gear Clamp
--	---	---	---	---	--	---
















Suction Hose Barbs


4800CF  100R4 Crimp Ferrule	4801  100R4 Hose Barb x MP 1-HS 2-MP	4803  100R4 Hose Barb x MJ 1-HS 2-MJ	4806  100R4 Hose Barb x FJX 1-HS 2-FJX	4815  100R4 Hose Barb x Code 61 Flange 1-HS 2-FH61	4817  100R4 Hose Barb x Code 61 Flange 1-HS 2-FH61	4819  100R4 Hose Barb x Code 61 Flange 1-HS 2-FH61	Worm Clamp  Worm Gear Clamp
---	--	--	--	--	---	--	--



SAE 100R4 Suction Hose Return Line

Brass Barbs and Push-Lock Hose

272  Male Pipe 1-HS 2-MP	27290  Male Pipe Elbow 1-HS 2-MP	273  Male Pipe Swivel 1-HS 2-MPX	274  Female Pipe 1-HS 2-FP	278  Female Pipe Swivel 1-HS 2-FPX (ball seat)	280  Female Pipe Swivel 1-HS 2-FPX (gasket seat)	282  Male SAE Flare 1-HS 2-MS	284  Female SAE Swivel 1-HS 2-FSX
286  Male JIC Flare 1-HS 2-MJ	287  Female JIC/SAE Swivel 1-HS 2-FJX/FSX (dual seat)	288  Female JIC Swivel 1-HS 2-FJX	290  Male Inverted Flare Swivel 1-HS 2-MIX	292  Female Inverted Flare 1-HS 2-FI	294  Rigid Tube Shank 1-HS 2-RTS	296  Hose Splicer 1-HS 2-HS	



Push-Lock Hose